DERWENT-ACC-NO: 1996-205763

DERWENT-WEEK: 199621

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Water-borne pigment dispersion - contq. alkali

soluble resin

dispersants surfactant and water

PATENT-ASSIGNEE: SEIKO EPSON CORP [SHIH]

PRIORITY-DATA:

1994JP-0208897 (September 1, 1994)

PATENT-FAMILY:

PUB-NO PUB-DATE . LANGUAGE

PAGES MAIN-IPC

JP 08073787 A March 19, 1996 N/A

008 C09D 011/00

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

APPL-DATE

JP 08073787A N/A 1994JP-0208897

September 1, 1994

INT-CL (IPC): C09D011/00; C09D011/16; C09D017/00

ABSTRACTED-PUB-NO: JP 08073787A

BASIC-ABSTRACT:

The pigment dispersion comprises a least a pigment, an alkali soluble resin dispersant, a surfactant and water.

USE - The dispersant is used in ink jet recording and hand

writing tools.

ADVANTAGE - The dispersion has less change of pigment dia.

depending on cm.

changes, even if by repeating freezing and fusing.

CHOSEN-DRAWING: Dwg.0/0

DERWENT-CLASS: G02 T04

CLIPPEDIMAGE= JP408073787A

PAT-NO: JP408073787A

DOCUMENT-IDENTIFIER: JP 08073787 A

TITLE: AQUEOUS PIGMENT DISPERSION AND ITS PRODUCTION

PUBN-DATE: March 19, 1996

INVENTOR-INFORMATION:

NAME

SHINOZUKA, SHOICHI TSUCHIYA, KYO

ASSIGNEE-INFORMATION:

NAME

COUNTRY N/A

SEIKO EPSON CORP

APPL-NO: JP06208897

APPL-DATE: September 1, 1994

INT-CL (IPC): C09D011/00; C09D011/16; C09D017/00

ABSTRACT:

PURPOSE: To obtain an aqueous pigment dispersion desirable as an ink colorant by mixing a pigment with an alkali-soluble resin dispersant, a surfactant and

CONSTITUTION: This production process consists of dispersing a mixture comprising a pigment in which the black pigment is aniline black or carbon black, the yellow pigment is an insoluble azo, isoindolinone, benzimidazolone or condensed azo pigment, and the red pigment is an insoluble azo, quinacridone perillene or dioxazine pigment, and the blue pigment is a phthalocyanine or indanthrene dye, a nonionic long-chain-alkyl-containing surfactant having an HLB of 14 or above and water with a grinding mill, adding a solution prepared by neutralizing an alkali-soluble resin dispersant having an acid value of 100mg (KOH) or above with an alkanolamine and dissolving the product dissolved in water to the above dispersion and adsorptively exchanging the surfactant for the alkali-soluble resin dispersant under agitation.

COPYRIGHT: (C) 1996, JPO

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	11184	(pigment or carbon adj black) near10 (modified or modify or attach\$4 or bond\$3 or treat\$4 or graft\$3 or absorb\$3 or absorption) near10 (polymer or resin or monomer)	EPO; JPO; DERWEN	2002/11/25 06:56
2	L2	1294	black) near10 (modified or modify or attach\$4 or bond\$3 or treat\$4 or graft\$3 or absorb\$3 or	EPO;	2002/11/25 06:28
3	<b>L</b> 3	421	Inidment or carbon add	DERWEN	2002/11/25 06:29
4	L4	238271	@pd>20020808	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25
5	L5	1087	((523/160) or (523/161)).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:30

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	598	((106/31.6) or (106/31.65) or (106/31.85)).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/11/25 06:30
7	<b>L</b> 7	66	4 and (5 or 6)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:30
8	L8	476		USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:30
9	L11	725	(associative or ph adj dependent) near5 thicken\$3	USPAT; EPO; JPO; DERWEN T; USOCR	2002/11/25 06:30
10	L12	5	4 and 11 and ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	

	L #	Hits	Search Text	DBs	Time Stamp
11			3 and ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/11/25 06:33
12	FAMIL Y	1	1998-348490.NRAN.	:	2002/11/25 06:47
13	L10	224	8 and ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:49
14	L14	46	10 not 9	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:49
15	L15	1009		USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:56
16	L16	125	11 and ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25

	L #	Hits	Search Text	DBs	Time Stamp
17	L17	790	(523/161).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/11/25 06:56
18	L18	32	15 and 17	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 06:59
19	L19	163	15 and writing	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:07
20	L20	1304	(pigment or carbon adj black) near10 (dispersant or dispersing adj agent) near10 surfactant	OLO, :	2002/11/25 07:13
21	L21	150	20 and ink and writing	0101	2002/11/25 07:14

	L #	Hits	Search Text	DBs	Time Stamp
22	L22	32	20 and 17	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:13
23	L23	1138	(pigment or carbon adj black) near5 (dispersant or dispersing adj agent) and (pigment or carbon adj black) near5 surfactant	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:14
24	L26	2	("5478602").PN.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:17
25	L27	1	26 and pigment	O L O / :	2002/11/25
26	L24	104	23 and ink and writing	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:17

	.L #	Hits	Search Text	DBs	Time Stamp
27	L25	34	23 and 17	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/11/25 07:27
28	L28	46	17 and dispersant and pigment and surfactant and writing	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:32
29	L29	4	(("4994520") or ("5952429")).PN.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:32
30	L30	2	29 and surfactant	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:33
31	L31	152250	(mitsubishi adj pencil or kabushiki adj kaisha).asn.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:34

	L #	Hits	Search Text	DBs	Time Stamp
32	L32	144	31 and ink and (disperant or dispersing) same surfactant	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/11/25 07:37
33	L33	4	jp-08073787-\$.did. or jp-01301760-\$.did.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 07:37
34	L34	2	("5609432").PN.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:33
35	L35	153	surface near3 treat\$4 near5 pigment near10 surfactant	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25
36	L36	597	surface near3 treat\$4 near5 pigment near10 (polymer or resin or dispersant)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:39

	L #	Hits	Search Text	DBs	Time Stamp
37	L37	56	35 and 36	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:36
38	L38	1214	(treat\$4 or absorb\$3 or coat\$3) near5 pigment near10 surfactant	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:40
39	L39	3475	(treat\$4 or attach\$4 or bond\$3 or modified) near5 pigment near10 (polymer or resin or dispersant)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:41
40	L40	167		USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25
41	L41	793	or (boncoat or voncoat) adj "3750" or fk600 or rm5 or sa22 or jsr0693 or lx adj "860" or e adj "3370" or lpdm adj "7010" or fk adj "600" or rm adj "5" or sa	EPO;	2002/11/25 08:54

	L #	Hits	Search Text	DBs	Time Stamp
42	L42			USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:53
43	L43	10	lx860 or e3370 or lpdm7010 or (boncoat or voncoat) adj "3750" or fk600 or lx adj "860" or e adj "3370" or	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/11/25 08:55